PERSPECTIVES ON CONTEXT, DESIGN TEAMS AND DIFFUSION OF TECHNOLOGICAL INNOVATIONS IN LOW-RESOURCE SETTINGS

William S. Kisaalita^{1*}

University of Georgia, College of Engineering, Driftmier Engineering Center, Athens,
Georgia 30602; Phone: +1 706-542-0835; Fax: +1 706-542-8806; email:
williamk@engr.uga.edu.

¹Visiting Professor, Makerere University, College of Agricultural & Environmental
Sciences, School of Food Technology, Nutrition & Bioengineering, P.O. Box 7062,
Kampala, Uganda

Keywords: Technological innovations; sustainable development; developing countries;
design teams; poverty alleviation; food and energy security.

William S. Kisaalita is a Professor of Biological and Mechanical Engineering in the College of
Engineering, The University of Georgia, Athens, GA, USA and is a Visiting Professor at Makerere
University.

*To whom correspondence should be addressed.

**PERSPECTIVES ON CONTEXT, DESIGN TEAMS AND DIFFUSION OF
TECHNOLOGICAL INNOVATIONS IN LOW-RESOURCE SETTINGS: A
PRACTICAL APPROACH FOR HIGHER EDUCATION BASE ON SUB-
SAHARAN AFRICA PROJECTS**

ABSTRACT

A **human-centered design** approach for creating science/engineering-driven solutions or innovations, referred to as “connect-the-dots,” is presented. Dots symbolize the best questions and the connections reveal the best order in which these questions should be answered. In this approach, the number of customer or user behavioral changes are critically analyzed, revealing the overall context in which the solution or innovation will operate; especially to undergraduate students creating solutions to problems from settings that are less familiar, from cultural, economic, and geopolitical viewpoints. Solutions or innovations that result in minimal user behavior changes are preferred. Additional benefits include **better incorporation of systems theory thinking**, ease with which team multidisciplinary and diversity can be identified, and seamlessly integrating design and research.

1. INTRODUCTION

Science and engineering are recognized as innovative forces, especially in development, and the convergence – where life sciences are meeting physical and computational sciences, and engineering - is giving rise to solutions concepts to “grand” development problems. It is also well understood that turning these solution concepts into sustainable and scalable innovations, especially in low-resource settings, is by itself one of the grand challenges of our time. In response to this grand challenge, today’s science/engineering majors are embracing creating innovations either through required classes (e.g., Senior Design or Service-Learning Courses) or through extracurricular activities (e.g., student clubs like Engineers without Borders). Students’ enthusiasm and fresh, out-of-the-box creativity in approaching these problems has been recognized by public and private agencies through funding programs that have been created to bolster their involvement. For example, the EPA runs an Annual Student Design Competition for Sustainability Focusing on People, Prosperity and the Planet, which is in its 10th season [1]. NIH runs the Team-Based Design in Biomedical Engineering Education program [2]. USAID recently unveiled the Higher Educating Solutions Network with the first round of awards made in 2012 [3]. The National Collegiate Inventor and Innovators Alliance (recently rebranded as VentureWell) funds “Sustainable Vision” grants for “transformational education programs in which technologies are created to benefit people living in poverty and deployed in an entrepreneurial, scalable way” [4].

A key feature in such programs is diverse and multidisciplinary engagement, premised on the notion that real-world problems require the collaboration of individual or solvers in more than one discipline and from different backgrounds [5, 6]. Unfortunately, this does not come without challenges: first, it is difficult to engage more than one discipline when the problem is solved by a design team as part of a class [7]; second, in cases where it is possible to engage other majors, choosing the right mix of members is not as straight forward as it may appear on paper. It can be argued, that the absence of the

right mix of teams' members may contribute to the problem of coming up with solutions that get “trapped in the bottom-left quadrant” – that do not go anywhere beyond the first prototype. Supportive anecdotal evidence can easily be found in basements of engineering school buildings in sub-Saharan Africa; these basements are likely to be full of first prototypes, which address wide-reaching unmet needs, and for one reason or another were not followed-up with commercialization goals (Figure 1).

The purpose of this paper is to offer **a process to implement a Human-Centered Design (HCD) approach rooted in the systems theory thinking** we refer to as “connect-the-dots,” that first brings out the best questions and in the best order that should be answered, and second, that is mindful of the overall context in which the solution or innovation will operate and as such helpful in indentifying the diversity of backgrounds needed on the design team. This process has been successfully used by the author in his undergraduate **inquiry** and design program (3p-Innocations) in which students develop technological solutions to problems from low-resource communities (e.g., smallholder farmers of sub-Saharan Africa [8, 9]) that are poverty-alleviating, prosperity-building, and planet-sustaining.

2. TRAPPED IN THE BOTTOM-LEFT QUADRANT

The success or failure of science/engineering-driven innovations in developing economies can be represented by a four quadrant figure (Figure 2), inspired by the quadrant model of scientific research by Stokes [10]. The vertical axis represents STEM (Science, Technology, Engineering and Mathematics) complexity behind the innovation. The horizontal axis represents the extent to which the innovation has succeeded in the market place or its diffusion. According to Rogers [11], diffusion is the process in which an innovation is communicated through certain channels over time among members of a social system. The presentation in Figure 2 uses quadrants for simplicity, but the scales are continuous. For example, even within a quadrant there are differences between the STEM complexity at the bottom and

top of the quadrant. Technology examples are added to convey the meaning of the quadrants, as explained below. The top-right is designated the mobile phone quadrant. Over half of people in developing or poor countries use mobile (cell) phones [12]. Nearly one in five Africans now owns a mobile phone, and the World Bank estimates that the region's wireless phone market is the fastest-growing in the world. The mobile phone market is growing, mainly due to the peoples' desire to increase productivity, even in places where there is: unreliable electricity, little portable water, poor schools, inadequate roads, and food & energy insecurity.

In the bottom-right quadrant, are innovations that have been successfully diffused, but whose origination did not require a high level of STEM. A characteristic example is artificial insemination (AI), with emphasis on dairy cattle genetic improvement. Old Arabian documents around 1322 A.D. indicate that an Arab Chieftain, who wanted to mate his prized mare to an outstanding stallion owned by an enemy, introduced a wand of cotton into the mare's reproductive track which he used to sexually excite the stallion causing it to ejaculate. The semen introduced into the mare resulted in conception [13]. Although the development of the artificial insemination industry as we know it today has required more STEM in areas of male management and semen collection, evaluation, preservation, and insemination [14], the STEM involved was not high enough to place the innovation into the top-right quadrant. Another example that fits in the bottom-right quadrant is fighting iron and iodine deficiency with salt double labeled with both iron and iodine [15].

The criteria that separates the top from the bottom quadrants is the STEM training and skills of innovators. In the top quadrants are innovators with STEM college education all the way to the doctoral level and in the bottom are others with lesser STEM training and skills. In the left quadrants are those innovations that have either failed in the field or require subsidy for continued market presence, whereas on the right are innovations that are not only self sustaining but are in widespread use (scaled) probably

in multiple countries or regions. A characteristic example in the top-left quadrant is using food technology to enhance the nutritional quality of food [16]. Another example is GM crops [17], which require complex STEM skills and many years of training to establish. Unfortunately, despite the promise they represent for African smallholder farmers, at the moment, there is limited acceptance; South Africa remains the only country in Africa that has engaged in widespread planting of GM crops [17, 18].

In the bottom-left are innovations based on simple STEM that either never reached the commercial stage or even when they do, they never get to the tipping point of widespread adoption. Some of these innovations may need more STEM knowledge and skill (e.g., moving to top-left) before wide-spread diffusion (moving to the right) can be achieved – **presenting opportunities to seamlessly integrate graduate and undergraduate education**. For some innovations in the bottom-left that have reached the commercial stage – transition from a project to a business - usually a tremendous amount of effort would have been expended, but for some reason or another they are not commercially successful. Domestic biogas use in Africa is a well-known technology in this category [19].

The organization of science/engineering- or STEM-driven innovations as presented in Figure 2 is an excellent framework to integrate design and research and to provide avenues to ask and find answers to fundamental questions that are important in generating knowledge in the development-technology nexus. For example, questions like, what are the underlying drivers for technology adoption in low-resource settings, what are the characteristics of innovation that are highly amenable to diffusion? We argue that teams of solvers that are mindful of the overall context in which the solution or innovation will operate are more likely to offer solutions that are more likely to be sustainable and scalable – not trapped in the bottom-left quadrant. It should be pointed out that it would be an oversimplification, to argue that this is the only factor for trapped innovations. We present below the “connect-the-dots” approach that we have found helpful in making the context in which the solution or innovation will

operate highly visible at the outset. The approach is especially useful for undergraduate students creating solutions to problems in settings that are less familiar with respect to cultural, economic and geopolitical viewpoints.

3. CONNECT-THE-DOTS

The design methodology typically taught and practiced in academia and industry is composed of seven steps: 1) recognition of a need for a product or service, 2) understanding and defining the problem, 3) research of prior art, 4) solution conceptualization, 5) synthesis, 6) evaluation, and 7) optimization. Although numbered in a logical sequence, the process tends to be iterative with feedback loops. There are tools that can be used in each stage. For example quality functional deployment can be used in understanding and defining the problem [20]. We have found, that in addition to these tools, if the solvers think about all those that will have to alter the way they “do business” as a result of adopting the solution, a better understanding of the overall context is achieved and can heavily influence the problem and solution concept to further pursue. With this approach, solvers view the problem as parts of an overall system as opposed to components that are isolated from the whole. We refer to this tool or approach as “connect-the-dots,” after the connect-the-dots puzzles typically created for children in which connecting a sequence of numbered dots reveals the outline of an object that is not originally apparent.

We illustrate the approach with a real-world design example. In this illustrative case, engineering students developed a device with which to mix vitamin with maize flour for the production of a fortified complementary food product for sub-Saharan African mothers to raise healthier kids. They engaged several village millers to come up with specification for the device. The device is still stuck in the bottom-left quadrant of Figure 2 and a possible reason is because answers to important questions were not asked during the design process. It is possible that the connect-the-dots approach, if used would have

identified a need to include other disciplines on the design team and would have revealed elements of the whole system that could be built into the intervention. Questions that were not asked included (Table 2): 1) is the evidence that the consumption of fortified maize meal yields healthier kids conclusive or “air tight”? 2) Do the kids enjoy eating the meal (most likely the taste/smell is changed by the addition of the vitamin)? 3) Would mothers buy or could they afford the premium fortified maize flour? And 4) is the device profitable for the miller at the price point the mothers would be willing to pay for the flour? Other important issues not addressed included, unintended consequence of introducing the fortified flour in the market. For example, would mothers of infants abandon breast feeding in favor of the meal and what would be the consequences if this were to happen?

The dots (**questions**) in “connect-the-dots” symbolize the best questions and the connections (**arrows connecting the dots, bottom-up as portrayed in Table 1**) reveal the best order in which these questions should be answered. Generating answers to all the questions in most cases calls for a multidisciplinary team. For example, the answer to the question whether the infants will eat the enriched flour can best be addressed by food scientists/nutritionists and the question of what price the mothers may be willing to pay for the enriched flour and what price target for the mixer can best be answered by business/economics majors. For low-resource settings, team members from social work and gender studies majors may be crucial to the project, because the bottom of the economic pyramid in developing economies is predominantly populated with women and children. Solutions conceptualized in the absence of such oversight are in most cases compromised. The price-point for the enriched flour the mothers are willing to pay prescribes the cost constraints for the engineers working on the device. Because the process is iterative, a team composed of participants (professors, students, users or their representatives) has to work together to produce a sustainable (profitable) solution applicable in many countries (scalable). There may be differences in the carbohydrate source and the additive in different

countries or regions. Instead of maize, some countries may have a different staple like cassava. Instead of vitamin, alternatives like protein from animal or insect sources [21] may be more feasible and economical. As dots (questions) are sequentially connected, a question in the sequence may arise to which a knowledge-base that would support a credible answer does not exist. Generation of the knowledge-base may require science/engineering complexity at the graduate level, providing opportunities to engage graduate students. This would move the innovation/technology from the bottom-left to the top-left quadrant (Figure 2). This movement integrates the design and research processes, which, through exposure to hypothesis formulation and testing, is highly beneficial to undergraduates.

By “connecting the dots” or deeply thinking about the answers to the questions raised, the problem is chunked and or linked to other problems that are critical to the overall solution and which provides a better appreciation of how big a problem it is. The instinctive reaction from an undergraduate design team is to have a large team with all relevant majors represented. In some cases, this may be disastrous as answers from some questions may take time to find and yet they are needed to inform the approach to the next question. In the author’s program, design teams have been more successful when, they have pursued a solution concept to one “dot” at a time, that call more for the right mix of disciplines and less of the team size. In most cases, solution concepts or answers to a single “dot” require one behavior change from the customer. For example, in the illustration above, the initial focus could be whether the children would eat the fortified flour or not. By shifting from designing a mixer to conclusively testing and coming up with a mix that provides a “yes” answer to the question (one behavioral change by the infants); the students’ teams would have been more likely to succeed. After coming up with the mix that the infants seem to like, the same team, or a new team the following year, would tackle the next questions of whether the mother would buy and feed the premium flour to their infants. **This connect-the-dots approach lies well within the well-established human-centered design (HCD) approach, whose**

tradition can be placed today in the systems view of life or thinking. We further expand on these observations in the following section.

4. HUMAN-CENTERED DESIGN (HCD) AND SYSTEMS THINKING

HDC is a catch-all term that typically includes participatory design, the lead user approach, co-design, ethnography, contextual design, and empathetic design [22]. Like these approaches, connect-the-dots is underpinned by four principles: 1) involving users to better understand their practices, needs, and preferences; 2) searching for an appropriate allocation of functions between people and technology; 3) organizing project iterations in conducting the research and generating and evaluating solutions; and 4) organizing multidisciplinary work [23].

Capra and Luisi [24] present a broader “HDC” in the form of a unifying view of life (systems) thinking that is captured in eight characteristics of systems thinking. Capra and Luisi [24] define systems thinking as, “a shift of perception from material objects and structures to nonmaterial processes and partners of organization that represent the very essence of life.” The first and most general of these characteristics is the perspective shift from the parts to the whole, which from HDC thinking, relates to involvement or participation of users and stakeholders in the design process. We submit that the connect-the-dots approach is more aligned with Capra and Luisi’s view than the conventional HDC. For example, the language of “involving” users does not emphasize equal partnership between designers and users. In life (organismal biology) that informs Capra and Luisi’s systems view, components that make a whole are equally important. This has been identified as a challenge for most HDC practitioners [22]. Connect-the-dots process of question-answer and ordering of these questions in a sequence to inform designer decision equally distributes power. In the design example used above, the child food-taste preference has to be right before the team moves up the design chain. The child in this case is a true

equal partner. Another characteristic from “objects to relationships,” which from HDC thinking relates to allocation of functions between people and technology. Connect –the-dots approach goes beyond allocation of resources; the connections identify a network of relationships in the “ecology” of the solution or design that may be fitting or nesting in a larger network. This is akin to the living world where we find systems nesting within larger systems.

The question-driven approach, emphasizing getting an answer before moving-up the design chain is not easy to appreciate given the engineering design teaching that philosophically emphasizes the iterative nature of design. But it is consistent with the research tradition, where knowledge is best advanced when we change one independent variable at a time. It is also consistent with the psychology tradition where behavioral change is best achieved one at a time. We further expand on this psychology tradition below to answer the question why the sequential approach to creating science/engineering-driven innovating or solutions by students less familiar with the problem source settings makes sense.

5. ONE-CHANGE-AT-A-TIME

The process of connecting the dots identifies the behavior to change and by whom. The three groups of players in the example used above include the millers, mothers, and their children. For the product to succeed, the millers have to include in their normal business a new product of premium flour. The mothers have to buy it and feed it to the children and the children have to eat it and consequently become healthier. It takes only one weak “connection” for the whole “chain” to collapse. A chain with many links has more chances to fail in comparison to one with fewer links.

Connecting the dots allows chunking the opportunity in a set of concrete subproblems, which once properly identified and understood, render the task less daunting and easier to tackle one at a time. It is natural when faced with what seems to be grand scale problem to be less motivated to

engage or perform, which is consistent with goal theories [25]. This is illustrated by an elegant experiment on willingness to donate that was conducted by researchers at the University of Pennsylvania [26] and described by Banerjee and Duflo [27]. To interest students in participating in the experiment, researchers provided \$5 to willing participants. Two fliers each with one of the messages shown in Table 1 were randomly distributed to the student participants and the students were asked to make a donation. The first flier raised an average of \$1.16 from each student. The second flier raised an average of \$2.83. These results suggested that the students were more willing to help Rokia, but were less likely to help when faced with an overwhelming challenge. The goal of success in changing the situation is related to the action of donating. Isolating Rokia from the Malawian or Zambian children that face food insecurity can be considered equivalent to chunking the problem into related subproblems through the questions as shown in Table 2.

The difficulty in achieving desired multiple behavioral changes when people are asked to simultaneously, as opposed to sequentially, change is well documented. Evidence for this difficulty has mainly come from clinical settings. For example, Goldstein et al. [28] have shown better intervention efficacy in changing behavior like smoking and risky/harmful alcohol use separately rather than simultaneously. However, mixed results of such a comparison have been reported by Hyman et al. [29], who conducted a randomized trial in a primary care setting to test whether, “a sequential presentation of stage-based change counseling to stop smoking, reduce dietary sodium level, and increase physical activity would be more effective than simultaneous counseling.” All participants were nonadherent to the three behavioral goals and were randomized to three groups of: one in-clinic counseling session on all three behaviors every six months, supplemented by motivational interviewing for 18 months; a similar procedure that addressed a new behavior every six months; or the usual care, which involved a one-time referral to existing group classes. The number of

participants that met at least two behavior criteria 18 months later were 6.5% (simultaneous); 5.2% (sequentially), and 6.5% (usual-care), suggesting that there was no significant difference in multiple behaviors sequential or simultaneous approaches.

6. CONCLUDING REMARKS

A **human-centered design approach** we refer to as “connect-the-dots,” is presented that: 1) brings out the best questions and in the best order that should be answered; 2) is mindful of the overall context in which the solution or innovation will operate; and 3) is helpful in indentifying the diversity of backgrounds needed on the design team. Additionally, connecting the dots allows better incorporation of systems theory thinking, and breaking the opportunity in a set of concrete problems that once properly identified and understood can be solved one at a time and as such reduce the overwhelming nature of converting the opportunity into an innovation. The success of sequentially engaging solution generation per single behavioral change is plausibly predictable based on evidence from social science and marketing literature.

ACKNOWLEDGEMENTS

The author acknowledges the following agencies for grants that have supported the undergraduate design/research projects from which the perspectives or observations reported in this paper were made: Rotary Grant for University Teachers (2001-02), Engineering Information Foundation (EiF02.05), USDA (2002-38411-12132 and 2005-51160-02277), National Science Foundation (OISE0528062), World Bank (DM08-5681), EPA (83472501 and 83600601), **Bill & Melinda Gates Foundation (OP1097463), and USAID (AID-OAA-A-13-00066)**. The author also acknowledges Dr. Nkaku Kisaalita, a clinical psychologist at the VA Hospital in Tampa, FL, for critically reading the manuscript.

REFERENCES

- [1] P3: People, Prosperity and the Planet Student Design Competition for Sustainability (<http://www.epa.gov/P3/>).
- [2] Team-Based Design in Biomedical Engineering Education (<http://grants.nih.gov/grants/guide/pa-files/PA-10-140.html>) and Design by Biomedical Undergraduate Teams (DEBUT) Challenge (<http://www.nibib.nih.gov/Training/UndergradGrad/debut>).
- [3] Higher Education Solutions Network (HESN) (<http://www.usaid.gov/hesn>).
- [4] National Collegiate Inventors and Innovators Alliance (NCIIA) Sustainable Vision Grants (<http://nciia.org/grants/sustainablevision/>).
- [5] Guzzo R, Dickson MW. Team in organization: recent research on performance and effectiveness. *Annual Reviews Psychology* 1996; 47:307-38.
- [6] Thursby MC, Fuller AW, Thursby I. An integrated approach to educating professionals for careers in innovation. *Academy of Management Learning & Education* 2009; 8:389-405.
- [7] Burian S, Johnson W, Montague F, Holt A, Nielson J, David R. Multidiscipline team teaching approach to enhance project-based learning of sustainable design. *ASEE Annual Conference & Exposition*, June 22-24, 2008. Pittsburgh, PA.
- [8] Kisaalita WS, Bibens B, Lane E, Young P, Kinsey VR, Some S. Design and testing of avian hatchery solar energy incubator for smallholder poultry farmers from the Sudano-Sahelian belt. *Agricultural Mechanization in Asia, Africa, and Latin America* 2010; 41:84-90.
- [9] Ndyabawe K, Kisaalita WS. Diffusion of an evaporative cooler innovation among smallholder dairy farmers of Western Uganda. *Technology in Society* (Accepted).

- [10] Stokes DE. Pasteur's quadrant: basic science and technological innovation. Washington, DC: Brookings Institute Press; 1997.
- [11] Rogers EM. Diffusion of innovations, 5th ed. New York: Free Press; 2003.
- [12] Quadir IZ. 2010. Mobile technology: one core lesson, many possible solutions. Development Outreach 2010; 12:22-4.
- [13] Webb DW. Artificial insemination in dairy cattle. University of Florida IFAS Extension Document DS58, 1991; <http://edis.ifas.ufl.edu>.
- [14] Foote RH. The history of artificial insemination: selected notes and notables. J Anim Sci 2002; 80:1-10.
- [15] Marine D, Kimball OP. The prevention of simple goiter in man. J Am Med Assoc 1921; 77:1066-70.
- [16] Floros JD, Newsome R, Fisher W, Barbosa-Canovas GV, Chen H, Dunne CP, German JB et al. Feeding the world today and tomorrow: the importance of food science and technology. Comprehensive Reviews in Food Science and Food Safety 2010; 9:572-99.
- [17] Qaim M, Zilberman D. Yield effects of genetically modified crops in developing countries. Science 2003; 299:900-902.
- [18] Zachary GP. The coming revolution in Africa. The Wilson Quarterly 2008; 32:50-7.

- [19] Mshandete AM, Parawira W. Biogas technology research in selected sub-Saharan African countries – A review. *African Journal of Biotechnology* 2009; 8:116-25.
- [20] Akao Y. QFD: Quality Function Deployment – Integrating Customer Requirements into Product Design. New York: Productivity Press; 2004.
- [21] Dossey AT. Why insects should be in your diet. *The Scientist* 2013; 27: 22-3.
- [22] Steen M. Human-centered designs as a fragile encounter. *Design Issues* 2012; 28: 72-80.
- [23] ISO. ISO 13407: Human-centered design processes for interactive systems. Geneva, Switzerland: ISO; 1999.
- [24] Capra F; Luisi, PL. *The System View of Life: A Unifying Vision*. Cambridge, UK: Cambridge University Press; 2014.
- [25] Abraham C, Sheeran P. Implications of goal theories for the theories of reasoned action and planned behavior. In: Armitage CJ, Christian J., editors, *Planned Behavior: The Relationship Between Human Thought and Action*, New Brunswick, NJ: Transaction Publishers; 2004.
- [26] Small D, Loewenstein G, Slovic P. Sympathy and callousness: The impact of deliberative thought on donation to identifiable and statistical victims. *Organizational Behavior and Human Decision Processes* 2007; 102:143-53.
- [27] Banerjee AV, Duflo, E. *Poor Economics*. New York: Public Affairs; 2011.
- [28] Goldstein MG, Whitlock EP, DePue J. Multiple behavioral risk factor interventions in primary care: summary of research evidence. *Am J Prev Med* 2004; 61-79.

[29] Heyman DJ, Pavlik VN, Taylor WC, Goodrick GK, Moye LM. Simultaneous vs. sequential counseling for multiple behavior change. *Arch Intern Med* 167; 1152-58.

Table 2. Messages on fliers used in the Small et al. [26] study.

<p>Message on Flier 1:</p> <p><i>Food shortages in Malawi are affecting more than 3 million children; In Zambia, severe rainfall deficits have resulted in a 42% drop in maize production from 2000. As a result, an estimated 3 million Zambians face hunger; Four millions Angolans – one third of the population – have been forced to flee their homes; More than 11 million people in Ethiopia need immediate food assistance.</i></p>
<p>Message on Flier 2 (in addition, featuring a picture of a young girl and the following message):</p> <p><i>Rokia, a 7-year old girl from Mali, Africa, is desperately poor and faces a threat of severe hunger or even starvation. Her life will be changed for the better as a result of your financial gift. With your support, and the support of other caring sponsors, Save the Children will work with Rokia's family and other members of the community to help feed her, provide her with education, as well as basic medical care and hygiene education.</i></p>

Table 1. Questions-driven systems approach for vitamin flour mixer design.

Players	Action or Outcome	Question (“dot”)
The Miller	Get the device	• Would the miller buy the device?
	Obtain vitamin powder	↑
	Use device to mix	• Would the miller buy the vitamin?
	Sell fortified or premium flour	↑
		• Would the device mix the vitamin and the flour well?
The Parents		↑
		• At what price would the miller justify the extra costs incurred?
		↑
	Buy premium flour	• Would the parents buy the premium flour at the miller price?
	Feed it to kids	↑
The Kids		• Would the parents feed the premium food to the kids?
		↑
	Eat enriched flour	• Would the kids eat the enriched flour?
	Become healthier	↑
		• Do the kids who eat the enriched flour become healthier?

Figure 1. Examples of first prototypes typically found in basements of engineering college buildings in sub-Saharan Africa.

Figure 2. Quadrants of STEM-driven innovation diffusion with examples that illustrate meaning.