Testosterone-Cortisol Interactions and Risk-Taking: A reply to Hayes et al.

Keith M. Welker^a, Samuele Zilioli^b, Justin M. Carré^c, & Pranjali H. Mehta^d

^aUniversity of Colorado Boulder, Department of Psychology, 325 UCB, Boulder, CO 80309, USA

^bWayne State University, 42 W Warren Avenue, Detroit, MI 48202, USA

^cNipissing University, 100 College Drive, North Bay, ON P1B8L7, Canada

^dUniversity of Oregon, 1227 University of Oregon, Eugene, OR 97043, USA

Correspondence concerning the article should be addressed to:

Pranjali H. Mehta, Department of Psychology, University of Oregon, Eugene, OR, 97403. USA,

Email: mehta@uoregon.edu. Phone: 541.346.0475.

We thank Hayes and colleagues for their comments on the first studies to examine interactive effects of cortisol and testosterone on risk-taking (Mehta et al., 2015). We look forward to experimental research testing the causal relationships we propose. In our analyses, we controlled for time of day, and further, we now note that the time does not interact with our reported dual-hormone interactions ($ps > .112$). Although the wider timespan of data collection may increase error variance, this would more likely obscure the interactive effects we report rather than contribute to their occurrence. In Study 2, due to informed consent, participants knew in advance they would be completing a computerized game (the Balloon Analog Risk Task), although they were not informed of the name of the measure or that it was a measure of risk-taking. However, in Study 1, the possibility of hormones reflecting an anticipatory rise is less likely, as the study measured baseline hormone concentrations and risk-taking personality on different days.

Hayes et al. suggested that testosterone differences in gender and race/ethnicity may have influenced our results. However, as reported in the paper (see section 1.2.3 as well as footnote 3), the pattern of results was similar in men and women (Study 1; Mehta et al., 2015). For race, the work Hayes and colleagues cite (Litman et al., 2006) does not report any significant differences in serum or bioavailable testosterone differences among Blacks, Hispanics, and Caucasians using a large sample size ($N=1881$). If racial differences in testosterone exist but are undetected in such a large sample size, the differences are likely slight and of negligible influence on our data. Because of our predominantly Caucasian samples, any effects of racial differences in testosterone would have to be extremely large to systematically influence our results. Nevertheless, we did examine if differences between Caucasians and non-Caucasians existed for cortisol, testosterone, and our risk-taking measures in each study, but none were found ($ps \geq$

.380). Furthermore, controlling for whether participants were Caucasian did not alter the significance of our reported Testosterone X Cortisol interactions ($ps \leq .040$), and moderated regression analysis testing 3-way Race X Testosterone X Cortisol interactions revealed that Caucasian status did not moderate our reported dual-hormone interactions ($ps \geq .307$).

Hayes and colleagues also state our conclusion is unsubstantiated due to lack of statistical significance in a simple slope test from Study 2 ($p=.051$). However, Study 2 did report a statistically significant Testosterone x Cortisol interaction ($p = .008$), which was our key hypothesis (the dual-hormone hypothesis). Furthermore, building on the limitations of null hypothesis testing (NHST), statisticians strongly recommend effect size estimation with confidence intervals and meta-analyses to derive scientific conclusions rather than null hypothesis testing in individual studies (Cumming, 2008, 2013). Accordingly, we report an internal meta-analysis across both studies detecting a moderately-sized Testosterone x Cortisol interaction effect with a statistically significant positive slope among low-cortisol individuals but not high-cortisol individuals. In 11 other studies, Testosterone X Cortisol effects on outcomes other than risk-taking mirror those of the present research (Mehta & Prasad, in press). Given the accumulation of research suggesting interactive dual-hormone effects, the replicable interactive pattern across two studies, consistent medium effect sizes of these interactions, and the internal meta-analysis in our paper, these results are likely not a false positive. We hope these statistical advances within psychology inspire psychoneuroendocrinologists to move beyond exclusive reliance on traditional NHST to advance psychoneuroendocrinology as a cumulative, quantitative science. In conclusion, we thank Hayes and colleagues for their interest in our paper, which has led us to conduct additional analyses that strengthen the contribution of this research.

References

- Cumming, G. (2008). Replication and p intervals: p values predict the future only vaguely, but confidence intervals do much better. *Perspectives on Psychological Science*, 3(4), 286-300.
- Cumming, G. (2012). *Understanding The New Statistics: Effect Sizes, Confidence Intervals, and Meta-Analysis*. New York: Routledge
- Hayes, L.D., Schulthorpe, N., Grace, F.M. (in press). Re: Testosterone and cortisol jointly modulate risk-taking. *Psychoneuroendocrinology*.
- Litman, H. J., Bhasin, S., Link, C. L., Araujo, A. B., & McKinlay, J. B. (2006). Serum androgen levels in black, Hispanic, and white men. *The Journal of Clinical Endocrinology & Metabolism*, 91(11), 4326-4334.
- Mehta, P.H. & Prasad, S. (in press). The dual-hormone hypothesis: A brief review and future research agenda. *Current Opinion in Behavioral Sciences*.
[doi:10.1016/j.cobeha.2015.04.008](https://doi.org/10.1016/j.cobeha.2015.04.008)
- Mehta, P.H., Welker, K.M., Zilioli, S., & Carré, J.M. (2015). Testosterone and cortisol jointly modulate risk-taking. *Psychoneuroendocrinology*, 56, 88-99.