Title: Predictors of local support for a seawater desalination plant in a small coastal community

Authors:

Nadine Heck (corresponding author)

Institute of Marine Sciences, University of California, Santa Cruz, 1156 High Street, Santa Cruz
CA 95064, USA, nheck@ucsc.edu

Adina Paytan

Institute of Marine Sciences, University of California, Santa Cruz, 1156 High St., Santa Cruz,
CA 95064, USA and Department of Earth and Planetary Sciences, University of California,
Santa Cruz, 1156 High Street, Santa Cruz, CA 95064, USA, apaytan@ucsc.edu.

Donald C. Potts

Department of Ecology and Evolutionary Biology, University of California, Santa Cruz, 1156
High St., Santa Cruz, CA 95064, USA, potts@ucsc.edu.

Brent Haddad

Environmental Studies, University of California, Santa Cruz, 1156 High St., Santa Cruz, CA
95064, USA, bhaddad@ucsc.edu.

1. Introduction

Freshwater accounts for only 2.5% of the total volume of water on earth (Oki and Kanae 2006; World Water Assessment Programme 2009). Many regions worldwide are experiencing freshwater shortage due to increasing water consumption and environmental changes that are reducing the reliability of traditional water resources such as surface and groundwater sources (Bourne 2008; Dolnicar and Schäfer 2009; Seller 2008). In response, water agencies have started to adopt measure to reduce demand for water (e.g., water conservation measures) (Martin 2015) and to increase water supply by pursuing new technologies including seawater desalination. Seawater desalination is particularly valued for the production of high quality drinking water, for being independent of climate and for providing a reliable source of water during droughts. The sector is growing and more than 17,000 desalination plants were in operation worldwide in 2013 with a global desalination capacity of more than 80 million cubic meters per day (International Desalination Association 2014).

In the US, seawater desalination is an emerging ocean sector with potential for growth in the future. Freshwater supplies in coastal areas relying on imported and groundwater sources have become increasingly unreliable with changing weather patterns, recurring droughts, and saltwater intrusion into aquifers due to low groundwater levels that could be aggravated by rising sea levels (Bourne, 2008; Heberger et al 2009; Mirchi et al 2013; Sellers, 2008). Water authorities are subsequently seeking to diversify coastal water portfolios with seawater desalination. The technology is expected to reduce dependence on imported water and underground aquifers in coastal areas, and to help satisfy increasing demand for drinking water due to growth in coastal population and industries (California Coastal Commission 2004; Monterey Bay National Marine Sanctuary and National Marine Fisheries Service 2010; Peel and Choy 2014; State of California Public Utilities Commission, 2015).

Desalination development, however, remains controversial due to potential environmental economic, and societal impacts (Cooley et al 2013; Fuentes-Bargues, 2014; Liu et al 2013). Seawater desalination is a relatively expensive technology that increases the water price for consumers (Cooley and Heberger 2013; Côté et al 2005; Dawoud 2005; Hinkebein and Price 2005; Schiffler 2004). The development of desalination plants can also reduce public access to

coastal areas, disrupt coastal recreation activities, and alter aesthetics of the coastal landscape (California Department of Water Resources 2003; Liu et al 2013; Sellers 2008).

Environmental impacts of desalination plants compare to some extent to impacts of other coastal developments (e.g. land use change) (Lattemann and Höpner 2008). Effects more specific to desalination are consequences of the intake of large quantities of water and brine discharge, including mortality of larvae and other organisms due to impingement and entrainment during seawater intake. Brine discharge can lead to degradation of marine habitats, impacts on marine life on the ocean floor, coastal eutrophication, and changes in seawater quality, in addition to changes in coastal hydrology during construction (e.g., Elimelech and Phillip 2011; Lattemann and Höpner 2008; Roberts et al 2010; Sanchez-Lizaso et al 2008). Indirect impacts such as ocean acidification and sea level rise may also result from increasing greenhouse gas emissions from the relatively high energy consumption of operating seawater desalination plants (Cooley and Heberger 2013; Miller et al 2015). Specifically, as nearshore areas can be important habitat and spawning areas, both intake and brine discharge add further stress to marine environments already affected by a variety of anthropogenic activities (Halpern et al 2008).

Another consideration for seawater desalination plants are their effects on marine protected areas that are increasingly being established all around the world. One example in the US is the newly created Marine Protected Area (MPA) network along the coast of California. This network is the first of its kind in the US and consists of 124 MPAs intended to safeguard the productivity and diversity of marine life and habitats in coastal California for current and future generations (Natural Resources Defense Council 2014). Seawater intake and brine discharge from desalination plants built in close proximity to MPAs could have impacts on protected values within individual MPA sites. Reduction of larval connectivity between MPAs, due to entrainment and impingement in the intake pipes of desalination facilities, might further compromise the effectiveness of the broader MPA network (Natural Resources Defense Council 2014). While a number of studies have suggested that changes in marine ecosystems resulting from desalination activities might also lead to impacts on recreational and commercial marine users (Liu et al 2013; Monterey Bay National Marine Sanctuary and National Marine Fisheries Service 2010), these impacts have not been systematically studied to date.

1.2 Public perception of seawater desalination

Development of seawater desalination plants in the US has been slow so far. Changes in regulations (e.g., State Water Resources Control Board 2014) and opposition of environmental groups and coastal residents have slowed down the development of proposed new plants (e.g., Desal Alternatives 2013; Pask, 2013). Even though community acceptance can be critical for the implementation of desalination plants, little is known about community reactions to desalination plants and the variables that influence attitudes towards this water supply option.

Previous studies on attitudes towards water schemes, such as desalination, fall into three categories. The first include studies on general attitudes towards a water supply option by asking the public wide ranging questions that are not attached to a specific project. The second are studies focusing on public opinions on actual forthcoming water projects, and the third researches attitudes in locations where a new water supply scheme has already been put in place (Friedler et al 2006).

Compared to water conservation (e.g. Tortajada and Joshi 2013) and alternative water schemes such as water recycling (e.g., Ching 2016, Hartley 2006, Bridgeman 2004), literature on attitudes towards seawater desalination is still very limited. Most previous studies on desalination fall into the first category and examine general attitudes towards seawater desalination as a water supply option (King et al 2012) and acceptance of using desalinated water (e.g., Dolnicar et al 2011; Dolnicar et al 2010; Dolnicar and Schäfer 2009; Theodori et al 2009). These studies have been informed to a great extent by theoretical approaches in social psychology and psychological risk perception literature (e.g., Ajzen and Fishbein 1988; Pidgeon and Beattie 1998). The main concerns with using desalinated water were perceived environmental impacts, costs, quality of desalinated water and associated health concerns. Acceptance was also influenced by socio-economic variables including education, age, and gender. Acceptors of desalinated water were older, male, educated, and had previously used desalinated water. Psychological factors that shaped acceptance of using desalinated water included positive attitude towards conservation and the environment, and social norms (Dolnicar et al 2011; Dolnicar and Schäfer 2009). Environmental concerns also lowered public preference for desalination as an alternative water supply in Spain (Domènech et al 2013) and Australia (King et al 2012).

Studies on actual or forthcoming projects are even more limited. One study by Gibson et al (2015) explored public acceptance of expanding desalination in Perth, Australia. The authors compared the influence of attitudinal and socio-demographic factors on public voting behavior for or against additional desalination plants in Perth in 2007 and 2012 and found support for the expansion of desalination in both years (74.5% in 2007 and 73.4% in 2012) but the drivers of acceptance changed over time.

Our work builds on existing studies and explores public support for a newly established desalination plant in a small coastal community in Southern California. In contrast to studies on general acceptance of seawater desalination (King et al 2012), of using desalinated water (e.g. Dolnicar and Schaefer 2009), or support for future projects (Gibson et al 2014), we investigate local support for a local desalination project that has recently been completed. Understanding attitudes towards a particular project is crucial for the siting of new plants. Even if the wider consumer constituency is in favor of desalination, individual communities may oppose a project in their area, which can lead to significant delays or even abandonment of water supply projects (Hurlimann and Dolnicar 2010; Mainali et al 2011; Pierce 2013). Assessing local residents' views on plants within their community is critical for understanding why communities support or oppose these projects.

The aims of the paper are to (1) assess local perceptions of water resources and outcomes of the newly built desalination facility; (2) evaluate local support for the plant; (3) identify variables that shape and predict local support. We explore whether the socio-demographic profile of a community affects local support as previous studies reported significant relationships between socio-demographic variables and attitudes towards proposed desalination plants (Gibson et al 2014) and acceptance of using desalinated water (Dolnicar and Schaefer 2009). We also investigate whether frequent use of local marine areas affects support since a number of studies have suggested that impacts on marine ecosystems from desalination might lead to impacts on recreational and commercial marine users and create conflicts with existing activities (Liu et al 2013; Monterey Bay National Marine Sanctuary and National Marine Fisheries Service, 2010).

Our study further investigates whether the design of the plant and the environmental context shapes local acceptance. Most common critiques of seawater desalination include environment impacts due to open-ocean intake, brine discharge, CO₂ emission, high costs, and loss of coastal

access and scenery. While previous studies report that general environmental concerns and economic costs affect support for desalination (King et al 2012, Domènech et al 2013, Gibson et al 2014), little is known about the influence of project specific outcomes on local support.

Another important consideration for public support of water supply schemes is the notion of threat perceptions (Marks 2004). The public is more likely to support new water supply schemes if there is a severe water crisis that threatens local water supply (Mankad and Tapsuwan 2011). On the other hand, threats to personal health, such as the concerns about quality of desalinated water have been found to reduce acceptance (Dolnicar and Schaefer 2009). Our study explores whether perceived threats based on concerns about the local water supply and perceptions about the quality of the local marine environment that is the water sources for the new desalination plant has any effect on local support.

In addition, we draw from the literature on the acceptance of other coastal resource projects (e.g. tidal energy, off-shore energy) and investigate the influence of place attachment. Whereas sense of place is concerned with factors creating bonds to a place (e.g. Stedman 2002), place attachment refers to the strength of bonds between humans and locations (Wynveen et al 2011). While place attachment can be assessed in many ways, the two main dimensions with strong foundations in the academic literature are place identity and place dependence (Manning 2011, Williams and Vaske 2003). Place identity, emotional ties to a place, usually develops over time and refers to the symbolic meanings of an area. Place dependence is the functionality associated with an area and is represented by its tangible physical characteristics and attributes (Williams and Vaske 2003). As coastal residents and marine users often place emotional and functional importance to marine areas (e.g., Gee and Burkhard 2010; Gray et al 2010; Ressurreição et al 2012), place attachment can shape their attitudes towards the use or protection of these areas. Previous studies have reported that place attachment explained attitudes towards the use of coastal and marine resources even more than socio-demographic variables (Devine-Wright 2011; Vorkinn and Riese 2001).

Residents further may oppose natural resource projects in their close proximity even though they would otherwise support them. We explore this issue in the context of desalination based on the NIMBY framework to identify whether proximity of residence to a new plant has an effect on support. The NIMBY framework has been widely used to explore if proximity to a new

development influences local residents' attitudes. NIMBY has been explored since the early 1980s for multiple natural resource projects (e.g., energy plants, natural gas extraction, wind farms, off-shore oil drilling platforms) (Kahn 2000; Michaud et al 2008; Wolsink 1994, 2000, Jacquet 2012; Johansson and Laike 2007; Swofford and Slattery 2010). For desalination, NIMBY could provide insights to the question if coastal residents close to the new facility oppose the plant compared to those living further away. In this instance, the public may support desalination as a water supply option in general but not the construction of such a facility in their immediate vicinity.

2. Methods

2.1 Case study area

Carlsbad, a seaside resort of 112,299 residents in Southern California, is part of the San Diego County Water authority district (Fig. 1). Residents in Carlsbad are older (median age 41.7 years), affluent (median income \$87,416), educated with a bachelor's degree or higher (51.9%), and predominantly white (82.8%) (California Demographics, 2014; United States Census Bureau, 2014). The offshore marine area adjacent to the plant site is part of the geographic zone known as the Southern California Bight (SCB), which encompasses about 56,979 km² (22,000 square miles) from Point Conception in the north to Cabo Colnett in Baja California in the South. The coast adjacent to the plant consists of 50-70 m wide beaches backed in places by 12-24 high marine terrace bluffs. Important habitats in the area include intertidal sand habitats, subtidal soft bottom habitats, and subtidal hard bottom habitats. Abundant benthic organisms in the soft bottom habitats include clams, snails, polychaete worms, arthropods (crabs and shrimps), fishes and offshore kelp beds, while the nearshore water column contains pelagic fishes, phytoplankton and zooplankton.

The San Diego water district receives about 64% of its drinking water from the Colorado River, approximately 20% from the state water project in Northern California, and only 16% from local sources (Anderson 2015). The supply from imported resources has become increasingly unreliable due to changing weather patterns, reduced snowpack in the Sierra Nevada mountains, less precipitation, and multi-year drought conditions (Mirchi et al 2013). To diversify its water

portfolio, the San Diego Water Authority entered a 30-year water purchase agreement with a private investor, Poseidon Resources for 56,000 acre-feet of desalinated water per year starting at the time of operation of the new facility (San Diego County Water Authority 2014). Water provided by the Carlsbad desalination plant will increase local supply to about 26% and increase water prices for homeowners by about \$5 per month (San Diego County Water Authority 2012). The plant has been in development since 1998. After multiple delays in the permitting process, the plant started operation in December 2015.

Fig 1: Location of Carlsbad and the local seawater desalination plant

The newly constructed desalination plant is located in a more industrial area of the coast on the southern end of a 162 hectare (400 acre) lagoon, the Agua Hedionda Lagoon, part of which is

used for mussel and oyster aquaculture. Both, the lagoon and offshore areas are popular for fishing, paddle boarding, kayaking, beach walking, wildlife viewing (including nearby whale watching), recreational boating, and surfing.

At full capacity, the seawater desalination plant pumps about 300 million gallons per day (mgd) of seawater via an open ocean intake technology (California Water Boards, 2014; Poseidon Water, 2008). The desalination process uses 100 mgd of seawater to produce 50 mgd of high quality drinking water via reverse osmosis, and 50 mgd of salty brine with a concentration of about 67,000 ppm (twice the concentration of incoming seawater). Prior to discharge, the brine will be diluted with the additional 200 mgd of pumped seawater. Chemicals used in cleaning processes are discharged to the sanitary sewer system for treatment and disposal (Poseidon Water 2016).

The plant is co-located with the Encina power plant that has been in place since 1954. While the desalination plant gets its energy from the power supply network in San Diego County and not the Encina power plant directly, it shares the existing seawater intake and outfall infrastructure. The co-location eliminated the need to construct new intake and outfall structures. As the desalination plant is expected to outlast the Encina power plant, the plant operator has acquired the right to use the intake and outfall structures for up to 60 years to ensure continued full operation (Poseidon Water 2016).

2.2 Mail survey among local residents

We conducted a questionnaire-based survey between March and May 2015 to identify factors that shape coastal residents' attitudes towards the seawater desalination plant. At the time of the study, the desalination plant had finished construction but had not yet started operation.

Questionnaires were administered by mail to a sample of 1,500 residents in Carlsbad, California. The sample was randomly selected from postal records. Questionnaires were administered using three mailings following Dillman et al (2014). The first and third mailings consisted of a cover letter, a booklet style questionnaire, and a prepaid return envelope. The second mailing consisted of a postcard reminder to residents who had not responded to the first mailing. The third mailing was sent only to addresses that had either not responded to the survey or were returned as

undeliverable in the first or second mailings (Vaske 2008). The total sample size was 330 with and response rate of 25% after accounting for undeliverable mail ($n = 159$). This response rate is consistent with similar mail surveys asking the public about natural resource issues (Connelly et al 2003; Perry et al 2014; Vaske 2008).

2.3 Variables

Attitude towards the plant (dependent variable): We assessed attitudes towards the local seawater desalination plant on a 5-point scale from 1 = strongly oppose to 5 = strongly support. Answers were coded into 1 = support/strongly support and 0 = otherwise for correlation and binary regression analysis.

Socio-demographic variables: We collected information on age, gender, education, race, environmental NGO membership (Table 1), and participation in five marine activities in Carlsbad (Table 2).

Perceptions about water resources: Perceptions about the state of the local marine environment that is the source for drinking water production by the desalination plant was measured on a 5-point scale from 1 = very poor to 5 = excellent. Concern about the local water supply was assessed on a 5-point scale from 1 = not at all concerned to 5 = extremely concerned.

Perceptions about plant outcomes: We collected information on expected outcomes for nine items on a 3-point scale from 0 = no change to 2 = very positive/very negative impact.

Place attachment: We measured place attachment based on six items similar to those used by Perry et al (2014). We included three items on place identity (emotional ties to a place related to its symbolic meanings of an area) and three items on place dependence (functionality associated with an area represented by its tangible physical characteristic and attributes) (Williams and Vaske, 2003) (Table 2).

Proximity to plant: We geocoded residential address information of respondents and measured the distance of each address to the desalination facility using ArcGIS 10.2. All residents surveyed lived within a 15 km radius of the plant (Fig. 2).

Table 1: Socio-demographic profile and frequency of ocean use

Variable	Coding	% Respondents	Mean value
Gender	Male (1)	55.5	
	Female (0)	44.5	
Age	Continuous		56.9
Education	University degree (1)	72.9	
	Otherwise (0)	27.3	
Member NGO	Yes (1)	12.7	
	No (0)	87.3	
Race	White (1)	87.2	
	Other (0)	12.3	

Table 2 Description and reliability analysis of ocean use and place attachment variables

Variable	Mean	SD	Cronbach's Alpha
Fishing ^a	2.44	0.982	0.768
Recreation ^a	2.91	0.82	
Surfing/swimming	1.73	1.25	
Boating	2.83	0.97	
Wildlife viewing	1.91	1.12	
Beach walks	3.18	0.93	0.911
Place attachment ^b	4.13	0.84	
These areas mean a lot to me	4.51	0.83	
I am very attached to these marine areas	4.25	0.90	
These areas are very special to me	4.29	0.87	
I wouldn't substitute any other area for doing the type of things I do here	3.99	1.13	
These areas are the best place for doing what I like to do	4.00	1.07	
For the things I enjoy most, no other place can compare	3.86	1.17	

^a Measured on 5-point scale 1 = Never to 5 = Almost every day

^b Measured on 5-point scale of 1 = Strongly Disagree to 5 = Strongly Agree

Fig 2 Proximity of respondents to desalination facility

2.4 Data analysis

Data were analyzed using SPSS 23. We used a binary regression model to identify variables that predict support. Cases with missing values were deleted using listwise deletion. While all variables had between 304 and 331 responses, list wise deletion resulted in 290 valid cases for the regression model. Support was coded as 1 = support/strongly support and 0 = otherwise. Plant outcomes were coded on a 3-point scale from 0 = no negative/positive change to 2 = very positive/negative impact. We combined negative outcomes based on the mean of six items with a Cronbach's Alpha of 0.805. Due to a low Cronbach's Alpha of 0.351 for the three positive outcomes, we only retained an expected increase in drinking water as the positive outcome variable. The deletion of change in water level or saltwater intrusion did not increase Cronbach's Alpha enough to retain two or more positive outcomes (Table 3). We dummy coded place attachment as 1 = agree/strongly agree and 0 = otherwise and engagement in ocean activities as 1 = sometimes/often/almost every day and 0 = otherwise, to reduce correlation coefficients between independent variables. We kept two variables on ocean use, fishing and recreation

(reliability analysis in Table 2) as fishing may be affected by water intake due to impingement and entrainment while recreation may be more affected by concerns about ocean water quality due to brine discharge and disruption of access to coastal areas.

Table 3 Reliability analysis of positive and negative outcome variables

Variable	Cronbach's Alpha if item deleted	Cronbach's Alpha
Positive outcomes		0.340
Drinking water	.149	
Coastal water level	.538	
Saltwater intrusion	.254	
Negative outcomes		0.805
CO ₂ emission	.772	
Marine ecosystem	.733	
Marine activities	.754	
Water price	.832	
Coastal access	.770	
Coastal scenery	.773	

3. Results

3.1 Perception of water resources

We first assessed perceptions of water resources. 52.5% of residents in Carlsbad were extremely concerned about water supply in their community (Fig. 3). 67.8% thought that the local marine environment that is the water source for desalination is in good to excellent condition (Fig 4).

Fig. 3 Perception of local water supply in Carlsbad (% of respondents, N = 320)

Fig. 4 Perceived state of the local marine environment (% of respondents, N = 310)

3.2 Perception of plant outcomes

Residents expect negative and positive outcomes from the plant (Fig. 5). The main expected benefit was an increase in local drinking water.

Expected negative impacts were impacts on the marine ecosystems due to water intake and brine discharge, an increase in the price for drinking water, and the amount of CO₂ emitted from the plant, due to the high energy demand of seawater desalination.

Fig. 5 Coastal residents' views on expected outcomes from the new seawater desalination plant (mean)

Positive outcome coded on 3-point scale from 0 = no change to 2 = very positive
Negative outcome coded on 3-point scale from 0 = no change to 2 = very negative

3.3 Local support for the plant

The majority of respondents had clear opinions about the new facility. 71.9% respondents supported or strongly supported the new desalination facility (Fig. 6). Only 12.6% of respondents opposed the plant and 15.5% were undecided.

Fig. 6 Coastal residents' attitudes towards the seawater desalination plant (% of respondents, N = 330)

3.4 Variables that shape local support

Non-parametric correlation analysis revealed that perceptions about water resources and positive outcomes from the plant, as well as age and race were positively correlated with support for the plant (Table 4). Perceived threat to the local water supply, measured as concern for local water supply, correlated significantly and positively with support and was the variable that correlated most positively with support. An expected increase in drinking water and perceptions about the state of the local marine environment also correlated positively with support, but the correlation was weaker compared to concerns about drinking water (fig. 7). White and older residents reported high levels of support. All other socio-demographic variables did not correlate significantly.

Table 4 Non-parametric correlation coefficients of multiple variables with support for the seawater desalination plant (Spearman's rho)

Variable	Correlation coefficient	Significance (2-tailed)
Socio-demographics		
Gender	0.054	0.344
Education	0.107	0.058
Age	0.228	0.000
Race	0.161	0.006
NGO membership	-0.103	0.072
Ocean use		
Fishing	-0.125	0.028
Surfing	-0.191	0.001
Boating	-0.018	0.757
Beach walking	-0.124	0.028
Wildlife viewing	-0.110	0.054
Perception water resources		
Marine environment	0.190	0.001
Drinking water supply	0.342	0.000
Perceptions plant outcomes		
Increase freshwater	0.292	0.000
Increase water level	0.017	0.803
Less salt water intrusion	-0.650	0.275
Increase water price	-0.124	0.096
CO ² emission	-0.350	0.000
Coastal access	-0.409	0.000
Impact marine activities	-0.467	0.000
Change in coastal scenery	-0.454	0.000
Impacts ocean	-0.466	0.000
Place attachment	-0.166	0.003
Distance	0.018	0.891

Fig. 7 Spearman correlation coefficients for significant correlations of explanatory variables with support for the desalination plant (ordered by declining support)

Perceived negative social and environmental impacts correlated significantly and negatively with support. The highest correlation coefficients were impacts on marine areas and marine activities, and disruption of coastal scenery and access. An increase in the price of water did not correlate significantly, even though residents expected an increase in the price (as seen in Fig. 5). Frequent use of marine areas also correlated significantly and negatively with support. Frequent surfers, in particular, reported less support for the plant, followed by fishermen and people who use the

local beaches frequently. Place attachment correlated significantly and negatively with support indicating that not just the physical use of marine areas but also emotions and functional ties to these areas influence local support. The correlation coefficient was, however, smaller than coefficients for perceived environmental and social impacts. Place attachment therefore seems to play a role for local support, but to a smaller degree than perceptions about expected positive and negative impacts.

3.5 Which variables predict local support?

Binary logistic regression reveals that our variables explain a fair amount of variance in support for the plant ($R^2 = 0.509$) (Table 5). The strongest predictors for support were expected increase in water supply and race, indicating that being white is a significant and positive predictor of support. Age also regressed positively with support but the regression coefficient was relatively small compared to those with race and expected increase for water supply, which indicates that age is not a very strong predictor for support.

Table 5 Binary logistic regression model for predicting support for the plant

	B	S.E.	Wald	Sig.	Odds Ratio
Gender	0.459	0.343	1.796	0.180	1.583
Education	0.251	0.384	0.428	0.513	1.286
Age	0.027	0.012	4.772	0.029	1.027
Race	1.583	0.497	10.143	0.001	4.870
NGO member	-0.254	0.531	0.229	0.633	0.776
Fishing	-1.793	0.737	5.915	0.015	0.166
Marine recreation	0.188	0.400	0.222	0.638	1.207
Perception water supply	0.466	0.143	10.610	0.001	1.593
Perception marine environment	0.529	0.161	10.849	0.001	1.698
Positive outcome	0.838	0.260	10.425	0.001	2.312
Negative outcomes	-2.163	0.467	21.404	0.000	0.115
Place attachment	-0.267	0.398	0.452	0.502	0.765
Distance to plant	0.000	0.000	0.164	0.685	1.000
Constant	-5.758	1.384	17.312	0.000	0.003

Model Fit Statistics: Nagelkerke Pseudo $R^2 = 0.509$; -2; Log likelihood = 225.472; Full model $\chi^2 = 128.829$, (df = 13), sign. 0.000; Cases = 290; Hosmer and Lemeshow test Sign. 0.229; Classification accuracy = 81.4%

Concerns about the local water supply and perceived condition of the local marine environment also regressed significantly and positively with support but the regression coefficients were smaller compared to expected increase in water supply and race. The strongest negative predictor for support were perceived negative impacts from the plant and frequent use of the local marine areas for fishing. These two variables were in fact the two strongest significant predictors in our model. Recreation and place attachment did not regress significantly, even though these variables correlated significantly and negatively with support. The correlation between place attachment and recreation (0.325), based on the correlation matrix of our model, may have contributed to the non-significant regression of these two variables (Appendix 1).

4. Discussion

Our study provides novel insights into coastal residents' support for a local seawater desalination plant in a small coastal community in Southern California. Most residents had formed an opinion and either supported or opposed the plant with only 15.5% of respondents being undecided. More than 70% of sampled residents supported the seawater desalination plant, which is similar to findings of Gibson et al (2015) who reported 73% and 74% support for future desalination plants in Perth, Australia, in 2007 and 2012. Perth, a large urban region, already receives about 39% of its water from two desalination plants (Water Corporation 2014). Carlsbad is a small coastal community and the new plant is not only the first plant in Carlsbad but also the first high capacity facility in California. The similar high support in Perth and Carlsbad suggests that the size of a community and lack of experience with desalination may have little influence on support for specific desalination projects.

One possible explanation for the strong support for desalination in Carlsbad could be that our survey was conducted in the fourth year of a prolonged drought with below average precipitation (State Water Resources Control Board 2015). In 2015, the state of California mandated emergency conservation regulations throughout California to address severe water shortages (State Water Resources Control Board 2015). Residents in our study who were very concerned about local water supply and expected a very positive effect from the plant on availability of drinking water reported high levels of support. Our regression model also confirmed that a perceived threat to the local water supply, measured in our study as concern, predicts support for

this technology. Support may decline in periods with higher precipitation and less concern about drinking water supply. Models of long-term precipitation patterns and drinking water availability that justify the ongoing need for new plants might address this issue and maintain concern for reliability of drinking water supply and continued public support. The perceived state of the marine environment that is the plant's water source was also a significant predictor. If the health of the marine environment deteriorates (e.g. due to oil spills, harmful algal blooms), support may decline if this raises concerns about the quality of produced drinking water. Overall, these findings suggest that the environmental context of a plant plays an important role for public support.

Perceived negative impacts from the plant were the strongest predictors reducing support for seawater desalination in our study. This finding is similar to the results of Gibson et al (2015) who also found that perceptions about outcomes predicted support for proposed desalination plants. Perceived environmental impacts in our study included impacts on the marine ecosystem due to the open-ocean intake and the discharge of brine. Use of sub-surface intake technologies and/or mitigation of impacts may increase support from community members opposing seawater desalination because of its impacts on marine ecosystems. While the plant operator has developed a mitigation plan to off-set entrainment impacts via the creation of wetlands, the plan does not consider other marine impacts.

Because the Carlsbad desalination plant is co-located with the existing Encina power plant and shares the existing intake and outfall infrastructure, the desalination plant did not require construction of additional infrastructure and associated environmental disruptions. The marine ecosystems are also already affected by water intake and outfall from the power plant. Yet, perceived impacts from the plant on the marine ecosystem were still high and significantly reduced support. Residents therefore may have been concerned about desalination-specific impacts (e.g. discharge of brine) that will add additional stress to local marine ecosystems. Future studies could investigate whether perceived impacts on marine ecosystems are different for plants that are co-located with power plants and those that are not, to identify if co-location has any effect on local perceptions and support for desalination facilities.

Expected CO₂ emissions from the plant, driven by the high demand of energy from non-renewable resources, also significantly reduced support. Reduction of energy usage for the

desalination plant and/or an increase in renewable energy sources could play an important role in gaining public support. The high energy demand and greenhouse gas emissions from desalination plants could further reduce support, if concerns about climate change and its impacts on marine ecosystems (e.g., ocean acidification) remain or increase. The plant operator in Carlsbad has developed a mitigation plan to offset impacts of greenhouse gas emission. It was not clear in our study if this plan had any effect on the perceived CO₂ emission from the plant. Residents, for example, may not have been aware of the mitigation plan or might prefer to reduce rather than off-set emission (e.g., using renewable energy resources). Future research could investigate this point in more detail to provide more insights into the effect of energy use and greenhouse gas emission on support for desalination.

Expected impacts on coastal scenery and coastal access also significantly reduced support. This finding suggests that the long-term existence of the co-located power plant did not alleviate perceived impacts on coastal areas close to the plant. Even though the desalination plant is smaller than the adjacent Encina power plant, and is located further away from the beach, residents apparently still did not appreciate the additional impacts on the coastal scenery. Local residents therefore may feel protective about the coastal scenery and not welcome any further development close to the shore.

Residents who frequently use local marine areas for fishing, surfing, swimming, and beach walking were also less supportive of the new facility. The Carlsbad plant is situated at a very popular beach with a high volume of recreational use. A potential explanation for less support by surfers and swimmers may be that these activities require physical contact with ocean water in the vicinity of the plant, and people may have concerns about the quality of ocean water in areas close to the point of discharge. Monitoring water quality may help reduce conflicts with recreational users close to a desalination facility. Fishermen may worry about declining fish resources due to impingement and entrainment at the open-ocean water intake or effects of brine discharge on food webs. Engaging with marine stakeholders seems important to further understand the views of these groups on desalination and to identify and manage potential conflicts with existing marine activities.

Residents also expected an increase in the price of water but this increase did not reduce support for the plant. One explanation might be that Carlsbad is an affluent community and the benefits

of a reliable water source, especially in times of droughts and potential mandatory water conservation measures, may outweigh the need to pay more for water. An increase in the price of drinking water may play a significant role for local support in less affluent communities.

Age and race were the only socio-demographic variables that predicted support with white and older residents being supportive of the plant. This finding corresponds to a study on the acceptance of using desalinated water by Dolnicar and Schaefer (2009) who also reported that white and older people were more receptive to using desalinated water. In contrast to this study, education and gender did not predict support in our study suggesting that socio-demographic variables may have larger effects on the acceptance of using desalinated water than on support for a desalination facility. Gibson et al (2015) also reported almost no significant influence of socio-demographic variables on support for proposed desalination plants. These findings suggest that the socio-demographic profile of a community might not be a decisive factor for local support or rejection of a desalination facility.

Place attachment correlated significantly and negatively with support for the plant, indicating that strong emotional and functional ties to local marine areas shaped local views on the new facility. This finding is similar to a study by Devine-Wright and Howes (2010) who found that a perceived threat to place identity led to negative attitudes towards an off-shore wind farm. In our case, residents who attach high emotional and functional values to marine areas may perceive the new plant as a threat to those values given expected negative impacts on local marine ecosystems. Place dependence on marine areas may also explain why marine users were less supportive of the new facility, since functional ties to an area and actual use were related in our study. While place attachment and recreational use did not regress significantly in our model, both variables were correlated, which may have affected regression outcomes. At the same time, place attachment did not correlate very highly with support compared to other variables. The lack of a significant regression may also indicate that attachment to marine areas is not a good indicator of support, or lack thereof, for seawater desalination, even in small communities with strong emotional and functional ties to the ocean. More studies are needed to increase our understanding of the effects of place attachment to marine areas on support for ocean sectors such as desalination.

We found no significant effect of distance from the plant and support. Resident living closer to the plant did not support the new facility more or less than residents living further away. A limited explanatory power of proximity has also been found in multiple studies on public attitudes in other natural resource sectors (Ek 2005; Jacquet 2012; Michaud et al 2008) and desalination in Australia (King and Murphy 2012). In our case, the desalination plant is located in a mainly industrial area next to the Encina power plant and separated from residential areas by the Agua Hedionda Lagoon. The desalination facility is small compared to the power plant and does not produce high levels of noise or visible point source gas emission. Residents living closer to the plant therefore may not be more affected by the plant than other residents, which may explain the absence of the NIMBY effect. In contrast, a proposed desalination plant in Santa Cruz that would have been located close to a very affluent residential neighborhood was put on hold after strong community resistance, including a number of complaints about expected impacts on quality of life and property price in residential areas close to the proposed plant (City of Santa Cruz 2013). Hence, the siting of the Carlsbad facility may have played a role in the absence of the NIMBY concept in our study.

5. Limitations

Our study was conducted after a period of severe droughts, which could have influenced the high level of support for desalination as a climate independent water supply option. The plant in our study was also co-located with an existing power plant, which may have had an effect on public perceptions and support for a plant. In addition, we applied a quantitative approach to understand public support for seawater desalination. More in-depth, qualitative research, similar to a study conducted by Lejano and Leong (2012) on public support for a recycled water scheme, could add more insights into our understanding of why local communities support or reject seawater desalination projects.

6. Conclusions

Declining reliability of imported water sources, overtaxing of coastal aquifers, and rising demands for drinking water are stimulating the development of seawater desalination in the US

and in particular California. Our data provide insights into variables that shape local support of an existing recently constructed seawater desalination plant. We found that perceptions about water resources and perceived costs and benefits of desalination in terms of negative and positive impacts of the plant were significant predictors of support. Support for the plant may vary over time if environmental conditions and perceptions change. Demonstrating the need for desalination based on long-term predictions of precipitation patterns and water supply could be critical to sustain support over time. In addition, reducing or mitigating perceived impacts on marine areas and CO₂ emission from plant operations could help to increase and sustain community support for a local facility. The findings also indicate that common criticisms of desalination, in terms of impacts on marine areas and CO₂ emission, reduced support but economic factors did not. Additional studies are needed to identify if these expected outcomes are consistent predictors for reduced support for desalination plants or if the influence of these variables varies depending on the local context of a plant.

Acknowledgements

The study was funded by the National Science Foundation Coastal SEES program, award 1325649 to AP, DP, and BH.

References

- Ajzen, I., Fishbein, M. (1988) Theory of reasoned action-Theory of planned behavior. University of South Florida.
- Ambrose, R.F. (1994) Mitigating the Effects of a Coastal Power Plant on a Kelp Forest Community: Rationale and Requirements for an Artificial Reef. *Bulletin of Marine Science* 55, 694-708.
- Anderson, E., (2015) Drinking water starts flowing from Carlsbad desalination plant, KPBS.
- Bridgeman, J. (2004) Public perception towards water recycling in California, *Water and Environment Journal* 18(3), 150-154.
- Bourne, G., (2008) California Desalination Planning Handbook. Sacramento: Center for Collaborative Policy, California State University Sacramento.

California Coastal Commission, (2004) Seawater Desalination and the California Coastal Act, in: Commission, C.C. (Ed.), San Francisco, CA.

California Demographics, (2014) Carlsbad Demographics.

California Department of Water Resources, (2003) Desalination, in: Resources, C.D.o.W. (Ed.), Sacramento.

California Water Boards, (2014) Desalination facility Intakes, Brine Discharges, and the Incorporation of other nonsubstantive changes State of California, Environmental Protection Agency, Sacramento,.

City of Santa Cruz (2013) Draft Environmental Impact Report- Public Comments. Santa Cruz, CA.

Ching, L. (2016) A lived-experience investigation of narratives: recycled drinking water. *International Journal of Water Resources Development*, 32(4), 637-649.

Connelly, N.A., Brown, T.L., Decker, D.J. (2003) Factors affecting response rates to natural resource-focused mail surveys: Empirical evidence of declining rates over time. *Society & Natural Resources* 16, 541-549.

Cooley, H., Ajam, N., Heberger, M., (2013) Key Issues in Seawater Desalination in California: Marine Impacts. Pacific Institute Oakland, CA.

Cooley, H., Heberger, M., (2013) Key Issues in Seawater Desalination in California: Energy and Greenhouse Gas Emission. Pacific Institute Oakland, CA.

Côté, P., Siverns, S., Monti, S. (2005) Comparison of Membrane-based Solutions for Water Reclamation and Desalination. *Desalination* 182, 251-257.

Dawoud, M.A. (2005) The role of desalination in augmentation of water supply in GCC countries. *Desalination* 186, 187-198.

Desal Alternatives, (2013) Desals' Problems. Desal Alternatives, Santa Cruz, CA.

Devine-Wright, P. (2011) Place attachment and public acceptance of renewable energy: A tidal energy case study. *Journal of Environmental Psychology* 31, 336-343.

Devine-Wright, P. and Howes, Y., 2010. Disruption to place attachment and the protection of restorative environments: A wind energy case study, *Journal of Environmental Psychology*, 30(3), 271-280.

Dillman, D.A., Smyth, J.D., Christian, L.M. (2014) Internet, phone, mail, and mixed-mode surveys: the tailored design method. John Wiley & Sons.

Dolnicar, S., Hurlimann, A., Grün, B. (2011) What affects public acceptance of recycled and desalinated water? *Water Research* 45, 933-943.

Dolnicar, S., Hurlimann, A., Nghiem, L.D. (2010) The effect of information on public acceptance – The case of water from alternative sources. *Journal of Environmental Management* 91, 1288-1293.

Dolnicar, S., Schäfer, A.I. (2009) Desalinated versus recycled water: Public perceptions and profiles of the accepters. *Journal of Environmental Management* 90, 888-900.

Domènech, L., March, H., Saurí, D. (2013) Degrowth initiatives in the urban water sector? A social multi-criteria evaluation of non-conventional water alternatives in Metropolitan Barcelona. *Journal of Cleaner Production* 38, 44-55.

Ek, K. (2005) Public and private attitudes towards “green” electricity: the case of Swedish wind power. *Energy Policy* 33, 1677-1689.

Elimelech, M., Phillip, W.A. (2011) The future of seawater desalination: energy, technology, and the environment. *Science* 333, 712-717.

Friedler, E., Lahav, O., Jizhaki, H., Lahav, T. (2006) Study of urban population attitudes towards various wastewater reuse options: Israel as a case study. *Journal of Environmental Management* 81, 360-370.

Fuentes-Bargues, J.L. (2014) Analysis of the process of environmental impact assessment for seawater desalination plants in Spain. *Desalination* 347, 166-174.

Gee, K., Burkhard, B. (2010) Cultural ecosystem services in the context of offshore wind farming: a case study from the west coast of Schleswig-Holstein. *Ecological Complexity* 7, 349-358.

Gibson, F.L., Tapsuwan, S., Walker, I., Randrema, E. (2015) Drivers of an urban community’s acceptance of a large desalination scheme for drinking water. *Journal of Hydrology* 528, 38-44.

Gray, D.L., Canessa, R.R., Rollins, R.B., Dearden, P., Keller, C.P. (2010) Understanding recreational boater attitudes to zoning in a proposed marine protected area. *Coastal Management* 38, 575-597.

Halpern, B.S., Walbridge, S., Selkoe, K.A., Kappel, C.V., Micheli, F., D'Agrosa, C., Bruno, J.F., Casey, K.S., Ebert, C., Fox, H.E. (2008) A global map of human impact on marine ecosystems. *Science* 319, 948-952.

Hartley, T. W. (2006) Public perception and participation in water reuse, *Desalination*, 187(1), 115-126.

Heberger, M., Cooley, H., Herrera, P., Gleick, P., Morre, E., (2009) The Impacts of Sea-Level Rise on the California Coast. Pacific Institute, Oakland, CA.

Hinkebein, T.E., Price, M.K. (2005) Progress with the desalination and water purification technologies US roadmap. *Desalination* 182, 19-28.

Hurlimann, A., Dolnicar, S. (2010) When public opposition defeats alternative water projects – The case of Toowoomba Australia. *Water Research* 44, 287-297.

International Desalination Association, (2014) Desalination by Numbers.

Jacquet, J.B. (2012) Landowner attitudes toward natural gas and wind farm development in northern Pennsylvania. *Energy Policy* 50, 677-688.

Johansson, M., Laike, T. (2007) Intention to respond to local wind turbines: the role of attitudes and visual perception. *Wind Energy* 10, 435-451.

Kahn, R.D. (2000) Siting Struggles: The Unique Challenge of Permitting Renewable Energy Power Plants. *The Electricity Journal* 13, 21-33.

King, T.J., Ooi, D., Cary, J., Fisher, A., Schibeci, R., Murphy, K., O'Toole, K., Mearns, M., Donaldson, J.A., (2012) Public Perceptions of, and Responses to, Desalination in Australia, Alfred Deakin Research Institute Working Paper Series. Deakin University.

King, T. J., & Murphy, K. (2012). Procedural justice as a component of the Not In My Backyard (NIMBY) syndrome: understanding opposition to the building of a desalination plant in Victoria, Australia. Alfred Deakin Research Institute.

Lattemann, S., Höpner, T. (2008) Environmental impact and impact assessment of seawater desalination. *Desalination* 220, 1-15.

Lejano, R.P. and Leong, C., 2012. A hermeneutic approach to explaining and understanding public controversies. *Journal of public administration research and theory*, 22(4), pp.793-814.

Liu, T.-K., Sheu, H.-Y., Tseng, C.-N. (2013) Environmental impact assessment of seawater desalination plant under the framework of integrated coastal management. *Desalination* 326, 10-18.

Mainali, B., Ngo, H., Guo, W., Pham, T., Wang, X., Johnston, A. (2011) SWOT analysis to assist identification of the critical factors for the successful implementation of water reuse schemes. *Desalination and Water Treatment* 32, 297-306.

Mankad, A., & Tapsuwan, S. (2011) Review of socio-economic drivers of community acceptance and adoption of decentralised water systems. *Journal of Environmental Management*, 92(3), 380-391.

R. Manning (2011) *Studies in Outdoor recreation: Search and Research for Satisfaction* Oregon State University Press, Corvallis, Oregon, USA.

Marks, J. S. (2004). Advancing community acceptance of reclaimed water. Australian Water and Wastewater Association.

Martin, C.A. (2015) Landscape water use in Phoenix, Arizona. *Desert Plants*.

Michaud, K., Carlisle, J.E., Smith, E.R.A.N. (2008) Nimbyism vs. environmentalism in attitudes toward energy development. *Environmental Politics* 17, 20-39.

Miller, S., Shemer, H., Semiat, R. (2015) Energy and environmental issues in desalination. *Desalination* 366, 2-8.

Mirchi, A., Madani, K., Roos, M., Watkins, D., (2013) Climate Change Impacts on California's Water Resources, in: Schwabe, K., Albiac, J., Connor, J.D., Hassan, R.M., Meza González, L. (Eds.), *Drought in Arid and Semi-Arid Regions*. Springer Netherlands, pp. 301-319.

Miri, R., Chouikhi, A. (2005) Ecotoxicological marine impacts from seawater desalination plants. *Desalination* 182, 403-410.

Monterey Bay National Marine Sanctuary, National Marine Fisheries Service, (2010) *Guidelines for Desalination Plants in the Monterey Bay National Marine Sanctuary*.

Natural Resources Defense Council, N., (2014) *Proceed with Caution: California's Drought and Seawater Desalination*, NRDC Issue Brief May 2014. Natural Resources Defense Council, New York.

Oki, T., Kanae, S. (2006) Global Hydrological Cycles and World Water Resources. *Science* 313, 1068-1072.

Pasko, J., (2013) *A Change of Plans, Good Times*.

Peel, J., Choy, J., (2014) *Water Governance and Climate Change. Drought in California as a Lens on Our Climate Future*. Stanford Woods Institute for the Environment, Stanford.

Perry, E.E., Needham, M.D., Cramer, L.A., Rosenberger, R.S. (2014) Coastal resident knowledge of new marine reserves in Oregon: The impact of proximity and attachment. *Ocean & Coastal Management* 95, 107-116.

Pidgeon, N.F., Beattie, J. (1998) *The psychology of risk and uncertainty*. Blackwell Science, London.

Pierce, J., (2013) *A History of Santa Cruz's Desal Fight*.

Poseidon Water, (2008) *Poseidon Resources Marine Life Mitigation Plan* Poseidon Water,, Carlsbad.

Poseidon Water, (2016) *Carlsbad Desalination Plant*. Online available at <http://carlsbaddesal.com/faqs> (accessed 08/01/2016).

Ressurreição, A., Simas, A., Santos, R.S., Porteiro, F. (2012) Resident and expert opinions on marine related issues: implications for the ecosystem approach. *Ocean & Coastal Management* 69, 243-254.

Roberts, D.A., Johnston, E.L., Knott, N.A. (2010) Impacts of desalination plant discharges on the marine environment: A critical review of published studies. *Water Research* 44, 5117-5128.

San Diego County Water Authority, (2012) Seawater Desalination.

San Diego County Water Authority, (2014) Seawater Desalination: The Carlsbad Desalination Project. San Diego County Water Authority,, San Diego.

Sanchez-Lizaso, J.L., Romero, J., Ruiz, J., Gacia, E., Buceta, J.L., Invers, O., Torquemada, Y.F., Mas, J., Ruiz-Mateo, A., Manzanera, M. (2008) Salinity tolerance of the Mediterranean seagrass *Posidonia oceanica*: recommendations to minimize the impact of brine discharges from desalination plants. *Desalination* 221, 602-607.

Schiffler, M. (2004) Perspectives and challenges for desalination in the 21st century. *Desalination* 165, 1-9.

Schively, C. (2007) Understanding the NIMBY and LULU Phenomena: Reassessing Our Knowledge Base and Informing Future Research. *Journal of Planning Literature* 21, 255-266.

Seller, J., (2008) Desalination policy in a multilevel regulatory state. In *Desalacion de agua con energias renovables*, in: Escuder, C., Bert, G. (Eds.). National Autonomous University of Mexico Press., Mexico City, pp. 173-188.

Sellers, J., (2008) Desalination policy in a multilevel regulatory state, in: Escuder, C.N., Bert, G.H.L. (Eds.), *Desalacion de agua con energias renovables*. National Autonomous University of Mexico Press, Mexico City, pp. 173-188.

State of California Public Utilities Commission, (2015) Am Monterey Peninsula Water Supply Project. California Public Utilities Commission.

State Water Resources Control Board, (2014) Amendment to the Water Quality Control Plan For Ocean Waters of California. Draft Staff Report Including the Draft Substitute Environmental Documentation, in: Agency, C.E.P. (Ed.). State Water Resources Control Board, Sacramento.

State Water Resources Control Board, (2015) Emergency Conservation Regulations. Implementing 25% Conservation Statewide.

Stedman, R.C., 2002. Toward a social psychology of place predicting behavior from place-based cognitions, attitude, and identity. *Environment and behavior*, 34(5), pp.561-581.

Stratus Consulting, (2004) Research on estimating the environmental benefits of restoration to mitigate or avoid environmental impacts caused by California power plant cooling water intake structures., Prepared for the California Energy Commission's Public Interest Energy Research Program. California Energy Commission, Boulder, CO.

- Swofford, J., Slattery, M. (2010) Public attitudes of wind energy in Texas: Local communities in close proximity to wind farms and their effect on decision-making. *Energy Policy* 38, 2508-2519.
- Theodori, G.L., Wynveen, B.J., Fox, W.E., Burnett, D.B. (2009) Public Perception of Desalinated Water from Oil and Gas Field Operations: Data from Texas. *Society & Natural Resources* 22, 674-685.
- Tortajada, C., and Joshi, Y. K. (2013) Water demand management in Singapore: involving the public. *Water resources management*, 27(8), 2729-2746.
- United States Census Bureau, (2014) Carlsbad, California.
- Vaske, J. (2008) *Survey Research and Analysis: Applications in Parks, Recreation, and Human Dimensions*. Venture Publishing, State College, PA.
- Vorkinn, M., Riese, H. (2001) Environmental Concern in a Local Context: The Significance of Place Attachment. *Environment and Behavior* 33, 249-263.
- Williams, D.R., Vaske, J.J. (2003) The Measurement of Place Attachment: Validity and Generalizability of a Psychometric Approach. *Forest Science* 49, 830-840.
- Wolsink, M. (1994) Entanglement of Interests and Motives: Assumptions behind the NIMBY-theory on Facility Siting. *Urban Studies* 31, 851-866.
- Wolsink, M. (2000) Wind power and the NIMBY-myth: institutional capacity and the limited significance of public support. *Renewable Energy* 21, 49-64.
- World Water Assessment Programme, (2009) *The United Nations World Water Development Report 3: Water in a Changing World*. UNESCO, Paris.
- Wynveen, C.J., Kyle, G.T., Absher, J.D., Theodori, G.L. (2011) The meanings associated with varying degrees of attachment to a natural landscape. *Journal of Leisure Research* 43, 290.

Appendix 1: Correlation matrix for the binary regression model

	1	2	3	4	5	6	7	8	9	10	11	12	13	14
1 Constant	1.000	-	-	-	-	-	-	-	-	-	-	0.028	-	-
2 Distance	-	1.000	0.091	0.128	0.147	0.030	0.025	0.108	0.032	0.029	0.043	0.031	-	-
3 Place attachment	-	0.091	1.000	0.082	0.150	0.102	0.033	0.017	0.066	0.040	0.030	0.027	0.219	0.326
4 Water supply	-	0.128	-	1.000	0.023	0.040	0.017	0.051	0.016	0.087	0.055	0.093	-	0.008
5 State marine environment	-	0.147	-	0.023	1.000	0.108	0.020	0.035	0.043	0.047	0.216	0.039	-	-
6 Fishing	-	0.030	0.102	0.040	-	1.000	0.152	0.013	0.009	0.039	0.029	0.015	-	-
7 Negative outcomes	-	0.025	0.033	0.017	0.220	0.152	1.000	0.108	0.074	0.077	0.137	0.180	0.018	0.055
8 Gender	-	0.108	0.017	0.051	0.035	0.013	0.008	1.000	0.011	0.011	0.006	0.072	0.033	0.012
9 Education	-	0.032	0.066	0.016	0.043	0.009	0.074	0.011	1.000	0.128	0.050	0.023	-	-
10 Race	-	0.029	0.040	0.087	0.047	0.039	0.077	0.111	0.128	1.000	0.025	0.104	0.160	0.179
11 Age	-	0.043	0.030	0.055	0.216	0.029	0.137	0.006	0.050	0.025	1.000	0.085	0.198	0.269
12 NGO member	-	0.031	-	0.093	-	-	-	0.072	0.023	-	-	1.000	-	-
13 Positive outcome	-	0.044	0.219	0.155	0.213	0.102	0.018	0.033	0.042	0.160	0.198	0.022	1.000	0.091
14 Recreation	-	0.077	0.326	0.008	0.080	0.198	0.055	0.012	0.089	0.079	0.269	0.046	0.091	1.000